



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Singapore.....	June 11	271,060	188	27	....	7	....	3	....	1	....	....
Stettin.....	July 9	239,000	82	8	....	....	....	....	....	1	....	....
Stockholm.....	July 2	341,816	84	20	....	....	....	....	....	1	....	1
Trieste.....	July 9	221,124	96	....	....	....	....	....	....	....	....	2
Valencia.....	do	240,000	80	6	....	....	....	....	....	....	4	1
Vigo.....	do	40,000	14	4	....	....	....	1	....	....	....	....
Winnipeg.....	July 23	135,000	48	6	....	....	....	....	1	1	....	....
Yokohama.....	July 4	407,432	....	....	....	....	....	....	1	....	1	....

## MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

ARGENTINA—*Buenos Aires*.—Month of February, 1910. Population, 1,259,338. Total number of deaths from all causes 1,495, including typhoid fever 24, smallpox 70, measles 3, scarlet fever 3, diphtheria 10, tuberculosis 183.

Month of March, 1910. Total number of deaths 1,467, including typhoid fever 31, smallpox 71, measles 1, scarlet fever 3, diphtheria 10, tuberculosis 139.

Month of April, 1910. Total number of deaths 1,459, including typhoid fever 22, smallpox 83, measles 1, scarlet fever 4, diphtheria 13, tuberculosis 162.

BRAZIL—*Ceara*.—Month of May, 1910. Population, 55,000. Total number of deaths from all causes 146, including typhoid fever 12, measles 16, tuberculosis 19.

EGYPT—*Alexandria*.—Month of May, 1910. Population, 420,000. Total number of deaths from all causes 1,249, including typhus fever 8, typhoid fever 16, smallpox 7, measles 98, scarlet fever 1, diphtheria 5, plague 3, tuberculosis 97.

FRANCE—*Calais*.—Month of June, 1910. Population, 80,000. Total number of deaths from all causes 133, including diphtheria 1, tuberculosis 27.

*Roubaix*.—Month of June, 1910. Population, 121,115. Typhoid fever 3, measles 8, tuberculosis 19.

GREAT BRITAIN.—Week ended July 2, 1910.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 11 per 1,000 of the population, which is estimated at 16,940,895.

*Ireland*.—The deaths registered in 21 principal town districts correspond to an annual rate of 16.1 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Dundalk, viz, 4, and the highest at Sligo, viz, 33.6 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 13.2 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Aberdeen, viz, 10.1, and the highest at Dundee, viz, 22.1. The total number of deaths from all causes was 477, including measles 9, scarlet fever 4, diphtheria 5.

*JAMAICA—Kingston*.—Month of June, 1910. Population, 50,000. Total number of deaths from all causes 107, including tuberculosis 17.

*Port Antonio*.—Two weeks ended June 25, 1910. Population not reported. Number of deaths not reported. The health of the port is good.

*MALTA*.—Two weeks ended June 18, 1910. Population, 215,879. Total number of deaths from all causes 267, including diphtheria 1, tuberculosis 13.

*ST. THOMAS*.—Two weeks ended June 17, 1910. Population, 12,019. Total number of deaths from all causes, 11. No deaths from contagious diseases.

*SPAIN—Almeria*.—Month of June, 1910. Population, 50,910. Total number of deaths from all causes 124, including typhoid fever 5, smallpox 1, measles 7, tuberculosis 5.

*Huelva*.—Month of May, 1910. Population, 23,000. Total number of deaths from all causes 89, including typhoid fever 5, tuberculosis 12.

*Madrid*.—Month of June, 1910. Population, 595,586. Total number of deaths from all causes 1,002, including typhus fever 15, typhoid fever 10, measles 6, scarlet fever 1, diphtheria 2, tuberculosis 133.

*Seville*.—Month of June, 1910. Population, 154,315. Total number of deaths from all causes 434, including tuberculosis 58.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

*Surgeon-General,*

*United States Public Health and Marine-Hospital Service.*